

# Airworthiness Directive Schedule

## Aeroplanes

### Percival Proctor V

24 February 2000

---

The date above indicates the amendment date of this schedule.

New or amended ADs are shown with an asterisk \*

## Contents

*DCA/PROCT V/1	Fuel Tank Filter - Installation .....	2
*DCA/PROCT V/2	Additional Manifold Drain - Installation .....	2
*DCA/PROCT V/3	Battery Master Switch - Installation .....	2
*DCA/PROCT V/4	Fuel Tank Vent - Installation.....	2
*DCA/PROCT V/5	Front Spar Attachment – Locking Bottom Pin .....	2
*DCA/PROCT V/6	Front Spar Attachment – Locking Top Pin .....	3
*DCA/PROCT V/7	Rear Fuselage Control Pulleys - Modification .....	3
*DCA/PROCT V/8	Cabin Door Jettisoning - Placard.....	3
*DCA/PROCT V/9	Centre Section - Reinforcement.....	3
*DCA/PROCT V/10	Aileron Mass Balance Arm - Modification.....	3
*DCA/PROCT V/11	Maximum Permissible Speed - Placard .....	4
*DCA/PROCT V/12	Laminated Spar Booms - Inspection .....	4

**\*DCA/PROCT V/1 Fuel Tank Filter - Installation**

**Applicability:** All Proctor Mark V with S/Ns prefixed by the letters GSM.

**Requirement:** Incorporate Percival Mod 1141.  
(CAA UK AD 1482 PRE 80 refers)

**Compliance:** Before issue of Airworthiness Certificate.

*Note: This airworthiness directive supersedes NZCAR Part III Mandatory Modification CAA/Proctor V/6.*

**Effective Date:** 24 February 2000

**\*DCA/PROCT V/2 Additional Manifold Drain - Installation**

**Applicability:** All Proctor Mark V.

**Requirement:** Incorporate Percival Mod 1143.  
(CAA UK AD 1483 PRE 80 refers)

**Compliance:** Before issue of Airworthiness Certificate.

*Note: This airworthiness directive supersedes NZCAR Part III Mandatory Modification CAA/Proctor V/8.*

**Effective Date:** 24 February 2000

**\*DCA/PROCT V/3 Battery Master Switch - Installation**

**Applicability:** All Proctor Mark V.

**Requirement:** Incorporate Percival Mod C1171.  
(CAA UK AD 1484 PRE 80 refers)

**Compliance:** Before issue of Airworthiness Certificate.

*Note: This airworthiness directive supersedes NZCAR Part III Mandatory Modification CAA/Proctor V/12.*

**Effective Date:** 24 February 2000

**\*DCA/PROCT V/4 Fuel Tank Vent - Installation**

**Applicability:** All Proctor Mark V.

**Requirement:** Incorporate Percival Mod C1175.  
(CAA UK AD 1485 PRE 80 refers)

**Compliance:** Before issue of Airworthiness Certificate.

*Note: This airworthiness directive supersedes NZCAR Part III Recommended Modification.*

**Effective Date:** 24 February 2000

**\*DCA/PROCT V/5 Front Spar Attachment – Locking Bottom Pin**

**Applicability:** All Proctor Mark V.

**Requirement:** Incorporate Percival Mod C1204.  
(CAA UK AD 1486 PRE 80 refers)

**Compliance:** Before issue of Airworthiness Certificate.

*Note: This airworthiness directive supersedes NZCAR Part III Mandatory Modification CAA/Proctor V/9.*

**Effective Date:** 24 February 2000

**\*DCA/PROCT V/6 Front Spar Attachment – Locking Top Pin**

**Applicability:** All Proctor Mark V.

**Requirement:** Incorporate Percival Mod C1205.  
(CAA UK AD 1487 PRE 80 refers)

**Compliance:** Before issue of Airworthiness Certificate.

*Note: This airworthiness directive supersedes NZCAR Part III Mandatory Modification CAA/Proctor V/10.*

**Effective Date:** 24 February 2000

**\*DCA/PROCT V/7 Rear Fuselage Control Pulleys - Modification**

**Applicability:** All Proctor Mark V.

**Requirement:** Incorporate Percival Mod C1206.  
(CAA UK AD 1488 PRE 80 refers)

**Compliance:** Before issue of Airworthiness Certificate.

*Note: This airworthiness directive supersedes NZCAR Part III Mandatory Modification CAA/Proctor V/7.*

**Effective Date:** 24 February 2000

**\*DCA/PROCT V/8 Cabin Door Jettisoning - Placard**

**Applicability:** All Proctor Mark V.

**Requirement:** Incorporate Percival Mod C1207.  
(CAA UK AD 1489 PRE 80 refers)

**Compliance:** Before issue of Airworthiness Certificate.

*Note: This airworthiness directive supersedes NZCAR Part III Mandatory Modification CAA/Proctor V/11.*

**Effective Date:** 24 February 2000

**\*DCA/PROCT V/9 Centre Section - Reinforcement**

**Applicability:** All Proctor Mark V.

**Requirement:** Incorporate Percival Mod C1225.  
(CAA UK AD 1490 PRE 80 refers)

**Compliance:** Before issue of Airworthiness Certificate.

*Note: This airworthiness directive supersedes NZCAR Part III Mandatory Modification CAA/Proctor V/3.*

**Effective Date:** 24 February 2000

**\*DCA/PROCT V/10 Aileron Mass Balance Arm - Modification**

**Applicability:** All Proctor Mark V.

**Requirement:** Incorporate Percival Mod C1236.  
(CAA UK AD 1493 PRE 80 refers)

**Compliance:** Before issue of Airworthiness Certificate.

*Note: This airworthiness directive supersedes NZCAR Part III Mandatory Modification CAA/Proctor V/13.*

**Effective Date:** 24 February 2000

**\*DCA/PROCT V/11 Maximum Permissible Speed - Placard**

**Applicability:** All Proctor Mark V.

**Requirement:** Incorporate Mod C1246 per Hunting Aircraft Ltd Civil Technical Instruction No 13, Issue 2.  
(CAA UK AD 1494 PRE 80 refers)

**Compliance:** By 31 March 2000

**Effective Date:** 24 February 2000

**\*DCA/PROCT V/12 Laminated Spar Booms - Inspection**

**Applicability:** All Proctor Mark V.

**Requirement:** Inspect per Percival Aircraft Ltd, Technical Instruction No 2.  
(CAA UK AD 1495 PRE 80 refers)

**Compliance:** By 1 September 2000 unless already accomplished.

**Effective Date:** 24 February 2000