

Airworthiness Directive Schedule

Helicopters

Agusta Bell AB212

30 May 2024

- Notes:**
1. This AD schedule is applicable to Agusta Bell AB212 series helicopters manufactured under EASA Type Certificate No. R.114 (previously Ente Nazionale Per L'Aviazione Civile (ENAC) Type Certificate No. RAI A 157).
 2. The European Union Aviation Safety Agency (EASA) is the National Airworthiness Authority (NAA) responsible for the issue of State of Design Airworthiness Directives (ADs) for these helicopters.
State of Design ADs can be obtained directly from the EASA website at:
<http://ad.easa.europa.eu/>
 3. The date above indicates the amendment date of this schedule.
 4. New or amended ADs are shown with an asterisk *
-

Contents

IT-1976-114	Main Rotor Drive - Inspection.....	3
IT-1976-144	Stabiliser Bar Tube Assembly - Inspection.....	3
IT-1976-145	Stabiliser Bar Tubes - Inspection	3
IT-1976-191	Main Rotor Drive - Inspection.....	3
IT-1976-233	Swashplate Support Assembly - Inspection.....	3
IT-1976-234	Main Rotor Hydraulic Actuator - Inspection.....	3
IT-1976-259	Main Rotor NAS Rotating Control Bolts - Inspection.....	4
IT-1976-260	Tail Rotor Hanger Bearings - Inspection	4
IT-1976-261	Fuel Booster Pumps - Inspection	4
IT-1977-009	Ice and Rain Protection Screen Fitting - Inspection	4
IT-1977-061	Tail Rotor Transmission to Engine Driveshaft - Inspection.....	4
IT-1977-067	Rotor Brake Quill - Inspection	5
IT-1977-070	Main Rotor Hub Fitting Assemblies - Inspection	5
IT-1977-089	Rotor Brake Quill Bearings - Inspection	5
IT-1977-090	Engine Mount Bearing Assembly - Inspection.....	5
IT-1977-122	Tail Rotor Drive Transmission - Inspection	5
IT-1977-130	Passenger Door Assemblies - Inspection	6
IT-1977-166	Tail Rotor Driveshaft - Inspection.....	6
IT-1977-172	Emergency Escape Release Door Handle Covers - Inspection	6
IT-1977-198	Tail Rotor Pitch Change Horn - Inspection.....	6
IT-1977-245	Hydraulic Actuators - Inspection	6
IT-1978-005	Main Rotor Blades – Inspection	7
IT-1978-006	Main Rotor Blades Skin Cracks – Inspection	7
IT-1978-094	Landing Gear Forward Cross Tube Assemblies – Inspection	7
IT-1978-131	Main Rotor Blades – Inspection	7
IT-1978-159	Emergency Float Kits – Inspection.....	7
IT-1978-160	Float Landing Gear – Inspection	8
IT-1978-161	Main Rotor Hub Inboard Fitting – Inspection.....	8
IT-1978-163	Emergency Exits – Inspection.....	8
IT-1978-166	Main Rotor Drive Centre Line Firewall – Inspection	8
IT-1978-180	Passenger Door Emergency Escape Panels – Inspection	8
IT-1978-192	External Cargo Hook Link Assembly – Inspection	9
IT-1978-211	Skid Landing Gear – Inspection	9

IT-1978-219	Flight Control Rods and Bellcranks – Inspection.....	9
IT-1978-245	Main Rotor Drive Spiral Bevel Gear – Inspection.....	9
IT-1979-062	Emergency Flotation Equipment – Inspection.....	9
IT-1979-187	Main Rotor Blades – Inspection.....	10
IT-1979-188	Main Rotor Blades Steel Grip Pad – Inspection.....	10
IT-1980-036	Main Rotor Hub Assembly – Inspection.....	10
IT-1980-252	Main Rotor Hub Strap Assemblies – Inspection.....	10
IT-1980-253	Main Rotor Hub Strap Assemblies – Inspection.....	10
IT-1981-055	Main Rotor Mast Bearing – Inspection.....	11
IT-1981-057	Main Rotor Swashplate Filter – Inspection.....	11
IT-1981-107	Main Rotor Swashplate Support – Inspection.....	11
IT-1981-224	Main Rotor Yoke – Inspection.....	11
IT-1986-030	Main Rotor Swashplate Bearing – Inspection.....	11
IT-1989-165	Main Rotor Transmission Internal Sump Oil Filter – Inspection.....	12
IT-1989-272	Landing Gear Cross Tubes – Inspection.....	12
IT-1991-074	Main Rotor Drag Brace Assemblies – Inspection.....	12
IT-1993-079	Tail Rotor Driveshaft Hanger Bearing – Inspection.....	12
IT-1993-116	Main Rotor Yokes – Inspection.....	12
IT-1993-157	Main Rotor Pillow Blocks – Inspection.....	13
IT-1994-261	Main Rotor Retension Strap – Inspection.....	13
IT-1994-273	Main Transmission Lower Planetary Spider – Inspection.....	13
IT-1997-195	Tail Rotor Blades – Inspection.....	13
IT-1997-226	Tail Rotor Flapping Loads – Inspection.....	13
IT-1998-282	Tail Rotor Yoke Assembly – Inspection.....	14
IT-2000-382	Main Rotor Mast – Inspection.....	14
IT-2001-206	Rotors Flight Control Actuator Piston – Inspection.....	14
IT-2001-275	Tail Rotor Counterweight Bellcrank Retention Nut – Inspection.....	14
IT-2001-485	Main Rotor Drive Magnetic Brakes– Inspection.....	14
IT-2004-022	Main Hydraulic Servo Actuator – Inspection.....	15
IT-2005-139	Tail Rotor Blades – Inspection.....	15
2010-0272-E	Tail Rotor Blades – Inspection.....	15
2012-0001	Main Rotor Blades – Inspection.....	15
2013-0078	Main Rotor Hub Inboard Strap Fitting – Inspection.....	15
2013-0185	Tail Rotor Blades – Inspection.....	16
2013-0282-E	Rotor Drive Lubricating System – Inspection.....	16
2014-0113-E	Engine to Transmission Drive Shaft Line Nuts – Inspection.....	16
2014-0188R4	Emergency Flotation System – Inspection.....	16
2015-0121	External Cargo Hook System – Inspection.....	16
2015-0226R4	Hoist System – Inspection.....	17
2016-0166-E	Main Rotor Drive Spiral Bevel Gear – Inspection.....	17
2020-0013	Hand Held Fire Extinguishers – Inspection.....	17
2020-0062-E	Tail Rotor Hub/Blade Assembly - Inspection.....	17
2021-0126	Fuel/Oil Check Valves - Inspection.....	17
2021-0165-E	Cancelled – EASA AD 2022-0052-E refers.....	17
2022-0035	Cancelled - EASA AD 2022-0046 refers.....	17
2022-0046	Tail Boom Attachment - Inspection.....	17
2022-0052-E	Main Rotor Hub Strap Pins - Inspection.....	17
2022-0084	Tail Boom / Fin Spar Cap - Inspection.....	18
2022-0258	Main Transmission Support Case - Inspection.....	18
* 2024-0104	Left Upper Cap Angle - Inspection.....	18

IT-1976-114 Main Rotor Drive - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1976-144 Stabiliser Bar Tube Assembly - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

IT-1976-145 Stabiliser Bar Tubes - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

Effective Date: 26 March 2020

IT-1976-191 Main Rotor Drive - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1976-233 Swashplate Support Assembly - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1976-234 Main Rotor Hydraulic Actuator - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1976-259 Main Rotor NAS Rotating Control Bolts - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1976-260 Tail Rotor Hanger Bearings - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1976-261 Fuel Booster Pumps - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1977-009 Ice and Rain Protection Screen Fitting - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1977-061 Tail Rotor Transmission to Engine Driveshaft - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1977-067 Rotor Brake Quill - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1977-070 Main Rotor Hub Fitting Assemblies - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1977-089 Rotor Brake Quill Bearings - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1977-090 Engine Mount Bearing Assembly - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1977-122 Tail Rotor Drive Transmission - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1977-130 Passenger Door Assemblies - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1977-166 Tail Rotor Driveshaft - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1977-172 Emergency Escape Release Door Handle Covers - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1977-198 Tail Rotor Pitch Change Horn - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1977-245 Hydraulic Actuators - Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1978-005 Main Rotor Blades – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1978-006 Main Rotor Blades Skin Cracks – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1978-094 Landing Gear Forward Cross Tube Assemblies – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1978-131 Main Rotor Blades – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1978-159 Emergency Float Kits – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1978-160 Float Landing Gear – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1978-161 Main Rotor Hub Inboard Fitting – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1978-163 Emergency Exits – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1978-166 Main Rotor Drive Centre Line Firewall – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1978-180 Passenger Door Emergency Escape Panels – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1978-192 External Cargo Hook Link Assembly – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1978-211 Skid Landing Gear – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1978-219 Flight Control Rods and Bellcranks – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1978-245 Main Rotor Drive Spiral Bevel Gear – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1979-062 Emergency Flotation Equipment – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1979-187 Main Rotor Blades – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1979-188 Main Rotor Blades Steel Grip Pad – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1980-036 Main Rotor Hub Assembly – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1980-252 Main Rotor Hub Strap Assemblies – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1980-253 Main Rotor Hub Strap Assemblies – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1981-055 Main Rotor Mast Bearing – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1981-057 Main Rotor Swashplate Filter – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1981-107 Main Rotor Swashplate Support – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1981-224 Main Rotor Yoke – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1986-030 Main Rotor Swashplate Bearing – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1989-165 Main Rotor Transmission Internal Sump Oil Filter – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1989-272 Landing Gear Cross Tubes – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1991-074 Main Rotor Drag Brace Assemblies – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1993-079 Tail Rotor Driveshaft Hanger Bearing – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1993-116 Main Rotor Yokes – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1993-157 Main Rotor Pillow Blocks – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1994-261 Main Rotor Retension Strap – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1994-273 Main Transmission Lower Planetary Spider – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1997-195 Tail Rotor Blades – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1997-226 Tail Rotor Flapping Loads – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-1998-282 Tail Rotor Yoke Assembly – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-2000-382 Main Rotor Mast – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-2001-206 Rotors Flight Control Actuator Piston – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-2001-275 Tail Rotor Counterweight Bellcrank Retention Nut – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-2001-485 Main Rotor Drive Magnetic Brakes– Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.

Effective Date: 26 March 2020

IT-2004-022 Main Hydraulic Servo Actuator – Inspection**Applicability:** Model AB212 helicopters, all S/N.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.**Effective Date:** 26 March 2020**IT-2005-139 Tail Rotor Blades – Inspection****Applicability:** Model AB212 helicopters, all S/N.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the State of Design AD.**Effective Date:** 26 March 2020**2010-0272-E Tail Rotor Blades – Inspection****Applicability:** Model AB212 helicopters, all S/N.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 26 March 2020**2012-0001 Main Rotor Blades – Inspection****Applicability:** Model AB212 helicopters, all S/N.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 26 March 2020**2013-0078 Main Rotor Hub Inboard Strap Fitting – Inspection****Applicability:** Model AB212 helicopters, all S/N.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 26 March 2020

2013-0185 Tail Rotor Blades – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 26 March 2020

2013-0282-E Rotor Drive Lubricating System – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 26 March 2020

2014-0113-E Engine to Transmission Drive Shaft Line Nuts – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 26 March 2020

2014-0188R4 Emergency Flotation System – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 26 March 2020

2015-0121 External Cargo Hook System – Inspection

Applicability: Model AB212 helicopters, all S/N.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 26 March 2020

- 2015-0226R4 Hoist System – Inspection**
Applicability: Model AB212 helicopters, all S/N.
Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
 Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.
Effective Date: 26 March 2020
- 2016-0166-E Main Rotor Drive Spiral Bevel Gear – Inspection**
Applicability: Model AB212 helicopters, all S/N.
Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
 Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.
Effective Date: 26 March 2020
- 2020-0013 Hand Held Fire Extinguishers – Inspection**
Applicability: Model AB212 helicopters, all S/N.
Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
 Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.
Effective Date: 26 March 2020
- 2020-0062-E Tail Rotor Hub/Blade Assembly - Inspection**
Applicability: AB 212 helicopters, all S/N.
Effective Date: 19 March 2020
- 2021-0126 Fuel/Oil Check Valves - Inspection**
Applicability: AB212 helicopters, all S/N.
Effective Date: 24 May 2021
- 2021-0165-E Cancelled – EASA AD 2022-0052-E refers**
Effective Date: 25 March 2022
- 2022-0035 Cancelled - EASA AD 2022-0046 refers**
Applicability: AB212 helicopters, all S/N.
Effective Date: 24 March 2022
- 2022-0046 Tail Boom Attachment - Inspection**
Applicability: AB212 helicopters, all S/N.
Effective Date: 24 March 2022
- 2022-0052-E Main Rotor Hub Strap Pins - Inspection**
Applicability: AB212 helicopters, all S/N.
Effective Date: 25 March 2022

2022-0084 Tail Boom / Fin Spar Cap - Inspection

Applicability: AB212 helicopters, all S/N.

Effective Date: 26 May 2022

2022-0258 Main Transmission Support Case - Inspection

Applicability: AB212 helicopters, all S/N.

Effective Date: 3 January 2023

*** 2024-0104 Left Upper Cap Angle - Inspection**

Applicability: AB212 helicopters, all S/N.

Effective Date: 31 May 2024