



## **NAVIGABLE AIRSPACE DETERMINATION: Triple Star Management Ltd Crane at New Building T20 Remarkables Park**

PURSUANT TO Rule Part 77 of the Civil Aviation Rules I, Murray John Porter, Acting Manager Aeronautical Services, having received from Triple Star Management Ltd, notification of intention to erect a tower crane at the T20 Remarkables Park site in Queenstown, conducted an aeronautical study in consultation with such persons, representatives and organisations as I considered appropriate.

After completing the aeronautical study, I am satisfied that the proposed action, if executed, could constitute a hazard in navigable airspace.

THEREFORE I HEREBY ISSUE a

### **DETERMINATION OF HAZARD IN NAVIGABLE AIRSPACE**

in respect of the above notification.

The following conditions are specific to this Determination:

- The crane is to be of a conspicuous colour to allow pilots to sight it in time to take action to avoid it;
- The crane is to be marked and lit in accordance with Civil Aviation Rule Part 77, Appendix B;
- Obstruction lighting is to be operated at all times of the day and night
- Queenstown Airport Corporation is to be provided with at least 5 days notice prior to the erection of the crane; and
- Queenstown Airport Corporation and the Civil Aviation Authority are to be advised when the crane operation ceases.

This Determination of Hazard shall become final on 9<sup>th</sup> day of April 2015 unless a petition for review is received by the Director prior to that date.

This Determination of Hazard shall not expire but may be revoked, in writing, by the Director.

*The provisions of this determination are in addition to and not in derogation of the provisions of any other Act, or any orders or regulations made thereunder.*

Dated at Wellington this 10th day of March 2015.

Murray John Porter  
Acting Manager Aeronautical Services  
(DW1307911-0)

*The provisions of this determination are in addition to and not in derogation of the provisions of any other Act, or any orders or regulations made thereunder.*