

Subject No 52 IR Air Law (Aeroplane and Helicopter)

Each subject has been given a subject number and each topic within that subject a topic number. These reference numbers will be used on KDRs and will provide valuable feed back to the examination candidate. These topic reference numbers may be common across the subject levels and therefore may not be consecutive within a specific syllabus.

Sub Topic	Syllabus Item
	General
52.2	Aviation Legislation
52.2.2	Describe the requirements to hold an aviation document, as laid down in sections 55 and 78. CA Act 2023
52.2.4	Describe the duties of the pilot-in-command, as laid down in section 14. CA Act 2023
52.4	Definitions
	Note: Since some definitions in Part 1 have changed to align with the CA Act 2023, participants are encouraged to check the new Part 1.
	CAR Part 1 (unless otherwise noted)
	State the definition of:
(a)	Act;
(b)	ADS-B system;
(c)	aerodrome control service; aerodrome operational area
(d)	aerodrome traffic circuit;
(e)	aeronautical information circular;
(f)	aeronautical information publication;
(g)	AIP supplement;
(h)	air traffic control (ATC) service;
(i)	airworthiness certificate;
(j)	alternate aerodrome;
(k)	alternate means of navigation;
(l)	altitude;
(m)	approach control service;
(n)	area control service;
(o)	area navigation;
(p)	ATC clearance;
(q)	ATC instruction;
(r)	AWIB service;

Sub Topic**Syllabus Item**

- (s) barometric vertical navigation (baro-VNAV); AIP GEN
- (t) Category II precision approach procedure;
- (u) ceiling;
- (v) change-over point (COP); AIP GEN
- (w) clearance limit;
- (x) command practice;
- (y) continental (en route); AC91-21
- (z) controlled airspace;
- (aa) controlled flight;
- (bb) co-pilot;
- (cc) crew member;
- (dd) day;
- (ee) decision altitude (DA);
- (ff) decision height (DH);
- (gg) dual flight time;
- (hh) enhanced visual imaging system;
- (ii) final reserve fuel;
- (jj) flight examiner;
- (kk) flight level;
- (ll) GNSS GPS database; (CAR 19.203)
- (mm) height;
- (nn) IFR flight;
- (oo) instrument approach procedure;
- (pp) instrument flight;
- (qq) instrument flight time;
- (rr) instrument meteorological conditions;
- (ss) instrument time;
- (tt) Mach number;
- (uu) minimum descent altitude (MDA);
- (vv) minimum descent height (MDH);
- (ww) minimum safe altitude (MSA); (AIP GEN)
- (xx) minimum sector altitude (MSA 25M); (AIP GEN)
- (yy) navigation specification;
- (zz) night;

Sub Topic**Syllabus Item**

- (aaa) NOTAM;
- (bbb) pilot-in-command;
- (ccc) performance-based navigation;
- (ddd) precision approach procedure;
- (eee) pressure altitude;
- (fff) primary-means navigation system;
- (ggg) procedure altitude; (AIP GEN)
- (hhh) rated coverage; (AIP GEN)
- (iii) RAIM warning;
- (jjj) rating;
- (kkk) reporting point;
- (lll) RNP performance;
- (mmm) runway visual range;
- (nnn) segment OCA; (AIP GEN)
- (ooo) SEIFR passenger operation;
- (ppp) synthetic vision system;
~~Sole means navigation system; (CAR 19.203)~~
Supplemental means navigation system (CAR 19.203)
- (qqq) transition altitude; (AIP GEN)
- (rrr) transition layer; (AIP GEN)
- (sss) transition level; (AIP GEN)
- (ttt) VFR flight;
- (uuu) visibility;
- (vvv) visual meteorological conditions;
- (www) visual reference. (AIP GEN)

52.6**Abbreviations**

CAR Part 1 (unless otherwise noted)

State the meaning of the following abbreviations:

- (a) ABAS; (AC91-21)
- (b) ACAS;
- (c) ADF;
- (d) ADS-B;
- (e) ADS-C; (AC91-21, AIP GEN)
- (f) AMoN; (AC91-21)

Sub Topic	Syllabus Item
	(g) ANP; (AC91-21)
	(h) APCH; (AC91-21 AIP GEN)
	(i) A-RNP; (AC91-21)
	(j) Baro-VNAV; (AIP GEN)
	(k) DA; (AC91-21)
	(l) DF; (AC91-21)
	(m) DME;
	(n) FAF; (AIP GEN)
	(o) FAP; (AIP GEN)
	(p) FAS; (AC91-21)
	(q) FD; (AC91-21)
	(r) FDE; (AC91-21)
	(s) FRT; (AC91-21)
	(t) GBAS; (AC91-21)
	(u) GBNA; (AC91-21)
	(v) GLS; (AC91-21)
	(w) GNSS; (CAR 19.203)
	(x) GPS; (AC91-21)
	(y) GPWS;
	(z) IAC; (AIP GEN)
	(aa) IAF; (AIP GEN)
	(bb) ILS;
	(cc) LNAV; (AC91-21 AIP GEN)
	(dd) LP; (AC91-21)
	(ee) LPV; (AC91-21)
	(ff) OPMA; (AC91-21)
	(gg) PAR;
	(hh) PBN;
	(ii) PMoN; (AC91-21)
	(jj) PRA;
	(kk) P-RNAV; (AC91-21)
	(ll) QFE;
	(mm) QNH;
	(nn) RAIM; (CAR 19.203)

Sub Topic**Syllabus Item**

- (oo) RF; ~~AC91-21~~
- (pp) RNP APCH; (AC91-21)
- (qq) RNP AR APCH; (AC91-21)
- (rr) RVSM;
- (ss) SBAS; (AC91-21)
- (tt) STA; (AIP GEN)
- (uu) TAWS;
- (vv) TCAS;
- (ww) TF; (AC91-21)
- (xx) TSE; (AC91-21)
- (yy) VNAV; (AC91-21)
- (zz) VOR;
- (aaa) VORSEC; (AIP GEN)
~~VORTAC (AIP GEN)~~
- (bbb) VPA; (AIP GEN).

Personnel Licensing**52.10****Requirements for Licences and Ratings**

- 52.10.2 State the requirements for holding a pilot's licence. CAR Part 61
- 52.10.4 State the requirements for a pilot-in-command to hold a type rating on the type of aircraft being flown. CAR Part 61
- 52.10.6 State the requirements for entering flight details into a pilot's logbook. CAR Part 61
- 52.10.8 State the requirements for holding an instrument rating. CAR Part 61
- 52.10.10 State the licence and rating requirements for acting as a safety pilot during simulated instrument flight. CAR Part 91

52.12**Eligibility, Privileges and Limitations**

- 52.12.2 Describe the allowance for a person who does not hold a current pilot's licence to fly dual with an instructor. CAR Part 61
- 52.12.4 State the eligibility requirements for the issue of an instrument rating. CAR Part 61
- 52.12.6 State the privileges of holding an instrument rating. CAR Part 61
- 52.12.8 State the limitations on the holder of an instrument rating. CAR Part 61
- 52.12.10 State the qualification requirements for carrying out various types of instrument approach. CAR Part 61

52.14**Competency, Currency and Recency**

- 52.14.2 State the currency requirements of a pilot who is the holder of an instrument rating. CAR Part 61

Sub Topic	Syllabus Item
52.14.4	State the currency requirements for carrying out an instrument approach. CAR Part 61
52.16	Medical Requirements
52.16.2	State the hearing standard required for the holder of an instrument rating. CAR Part 61
	Airworthiness of Aircraft and Aircraft Equipment
52.20	Documentation
52.20.2	State the documents which must be carried in aircraft operated in New Zealand. CAR Part 91
52.22	Aircraft Maintenance
52.22.2	State the inspection period for radios. CAR Part 91
52.22.4	State the inspection period for altimeters. CAR Part 91
52.22.6	State the inspection period for transponders. CAR Part 91
52.22.8	State the inspection period for the ELT. CAR Part 91
52.24	Instruments and Avionics
52.24.2	State the minimum instrument requirements for an IFR flight. CAR Part 91
52.24.4	State the communications and navigation equipment requirements for an IFR flight. CAR Part 91
52.24.6	State the equipment requirements of aircraft operating in airspace where RVSM is applied by ATC. CAR Part 91
52.26	Equipment
52.26.2	State the equipment requirements for an IFR flight. CAR Part 91
52.26.4	State the requirements for indicating the time in flight. CAR Part 91
52.26.6	State the requirements for night flight. CAR Part 91
52.26.8	Explain the requirement for altitude alerting/assigned altitude indicating. CAR Part 91
52.26.10	State the requirements for an ELT. CAR Part 91
	General Operating and Flight Rules
52.30	General Operating Requirements
52.30.2	State the requirements for operating an aircraft in simulated instrument flight. CAR Part 91
52.30.4	State the requirements for carrying appropriate aeronautical publications and charts in flight. CAR Part 91
52.30.6	State the requirements for the maintenance of an enroute track. CAR Part 91
52.30.8	State the requirements for IFR cruising altitude or flight level. CAR Part 91

Sub Topic	Syllabus Item
52.32	General Operating Restrictions
52.32.2	State the restrictions on the use of portable electronic devices in flight. CAR Part 91
52.32.4	State the speed limitations on aircraft operating under IFR. CAR Part 91
52.32.6	State the restrictions when operating IFR in icing conditions. CAR Part 91
52.32.8	State the minimum altitudes for IFR flight. CAR Part 91
	Flight Planning and Preparation
52.50	Flight Preparation
52.50.2	Explain the requirements for obtaining and considering relevant information prior to flight. CAR Part 91
52.50.4	Describe the publications and their content that provide operational route and aerodrome information.
52.50.6	Derive operational information from charts and publications that provide route, approach and aerodrome information.
52.52	Alternate Requirements
52.52.2	State the meteorological minima at destination which would require an alternate to be nominated. CAR Part 91
52.52.4	Determine the meteorological minima required at an aerodrome for it to be nominated as an IFR alternate. CAR Part 91
52.52.6	State the power supply requirements for the selection of an aerodrome as an alternate on an IFR air operation. CAR Part 91
52.52.8	State the reference datum for take-off meteorological minima for IFR operations. CAR Part 91
52.52.10	State the reference datum for landing meteorological minima for IFR operations. CAR Part 91
52.52.12	State the reference datum for alternate meteorological minima for IFR operations. AIP ENR
52.54	Fuel Requirements
52.54.2	State the fuel reserve required for an IFR flight in a non-turbine-powered aeroplane. CAR Part 91
52.54.4	State the fuel reserve required for an IFR flight in a turbine-powered aeroplane or a helicopter. CAR Part 91
52.56	Flight Plans
52.56.2	State the requirements for the filing of a flight plan for flight under IFR. CAR Part 91
52.56.4	State the notification lead time for filing an IFR flight plan. CAR Part 91 & AIP ENR
52.56.6	State the requirements for adhering to an IFR flight plan. CAR Part 91

Sub Topic	Syllabus Item
52.56.8	State the requirements for the notification of changes to a filed IFR flight plan. CAR Part 91
52.56.10	State the requirements for an inadvertent departure from an IFR flight plan. CAR Part 91
52.56.12	State the requirements for the terminating an IFR flight plan at an aerodrome without ATS. CAR Part 91
	Air Traffic Services
52.60	Communications
52.60.2	Derive from operational publications, the required radio frequency for communicating with specified ATC units.
52.60.4	State the requirements for making position reports to an ATS unit. CAR Part 91 & AIP ENR
52.60.6	State the contents of various IFR position reports. AIP ENR
52.60.8	State the purpose of Universal Communications Services (UNICOM). AIP GEN
52.60.10	State the purpose of an Aerodrome Frequency Response Unit (AFRU). AIP GEN
52.60.12	State the purpose of Aerodrome and Weather Information Broadcasts (AWIB). AIP GEN
52.60.14	State the meaning of the various light signals from a control tower. CAR Part 91 & AIP AD
52.60.16	State the communications requirements when TIBA procedures are in force. AIP ENR
52.62	Clearances
52.62.2	State the requirements for complying with ATC clearances and instructions. CAR Part 91 & AIP ENR
52.62.4	State the requirements for coordinating with an aerodrome flight information service. CAR Part 91
52.62.6	State the requirements for receiving an ATC clearance prior to entering various types of airspace, and ground manoeuvring area. CAR Part 91 & AIP ENR
52.62.8	State the requirements for receiving an ATC clearance prior to re-entering controlled airspace. CAR Part 91 & AIP ENR
52.63	Separation
52.63.2	Describe the situations where Air Traffic Control is responsible for the provision of separation between VFR, SVFR and IFR traffic. AIP ENR
52.63.4	Describe the situations where the pilot-in-command of an IFR flight is responsible for maintaining separation from other traffic. AIP ENR
52.63.6	Describe the normal separation standards applied by ATC. AIP ENR

Sub Topic	Syllabus Item
52.63.8	Describe the situations where the normal separation may be reduced. AIP ENR
52.63.10	State the meaning of the term "Essential Traffic". AIP ENR
52.63.12	State the conditions under which longitudinal separation between reciprocal track aircraft may be reduced. AIP ENR
52.63.14	State the minimum lateral and longitudinal separation between RNP10 aircraft, as permitted by ICAO Regional Supplementary procedures (Doc 7030). AIP ENR
52.63.16	State the deviation from an assigned indicated airspeed or Mach number and ETA outside of which pilots are required to notify ATC. CAR Part 91
52.63.18	State the wake turbulence separation requirements for light and medium aircraft. AIP AD
52.63.20	State the maximum airspeed below 10,000 feet. CAR Part 91
52.63.22	State the minimum descent height in IMC at an unattended aerodrome where traffic conflict may exist. AIP ENR
52.64	Terrain Clearance
52.64.2	Describe the determination of the minimum safe altitude for IFR flight. AIP GEN
52.64.4	Explain the coverage and use of VORSEC charts. AIP GEN
52.64.6	Explain the coverage and use of 25nm Minimum Sector Altitude diagrams. AIP GEN
52.64.8	State when the radar control service is responsible for the provision of terrain clearance. AIP ENR
52.64.10	Explain how radar control provides terrain clearance. AIP ENR
52.64.12	Describe the use of DME descent steps for maintaining terrain clearance during departure climb or descent for an approach. AIP GEN & ENR
52.65	Weather Avoidance
52.65.2	State the requirements for deviation off track for weather avoidance. AIP ENR
52.66	Radar Services
52.66.2	Describe the radar services available to IFR flights. AIP ENR
52.66.4	Describe the responsibility of the radar controller to keep an aircraft within controlled airspace. AIP ENR
52.66.6	State the accuracy limits required when under radar speed control. AIP ENR
52.66.8	State the distance from touchdown that radar speed control can be maintained on an instrument and a visual approach. AIP ENR
52.66.10	State the meteorological and other conditions which allow a radar controller to vector an aircraft for a visual approach. AIP ENR

Sub Topic	Syllabus Item
52.66.12	State the criteria for a radar controller to consider an unknown aircraft to be on a conflicting path with another aircraft. AIP ENR
52.68	Performance Based Navigation
52.68.2	Describe the requirements which a Part 91 operator must meet to conduct a PBN operation. AC91-21, <i>Operational Approvals - Performance-Based Navigation</i>
52.68.4	Describe the PBN Operational Approval Process. AC91-21
52.68.6	Identify who is responsible for ensuring that electronic navigation data and equipment software is valid and updated for the equipment installation the PBN approval is based on. AC91-21
52.68.8	Describe the minimum flight altitude for an aircraft operating under IFR using GPS equipment as a primary means navigation system. CAR 91
52.68.10	State the requirements which must be met before a pilot of an aircraft operating within the New Zealand flight information region, under IFR, using GPS equipment as a primary means navigation system, is permitted random flight routing. CAR Part 91 19.217
52.68.12	Describe the contingency procedures required by aircraft within the New Zealand flight information region, in the event of loss of Primary Means of Navigation. CAR Part 91 and AC91-21, Appendix I
52.68.14	State the ICAO PBN specifications implemented in the NZ FIR, in each of the following phases of flight: <ul style="list-style-type: none"> (a) En route Continental/Domestic; (b) Terminal; (c) Initial, Intermediate and Missed Approach; and (d) Final Approach. AC91-21 Table 1
52.68.16	State the surveillance and communications requirements expected to apply in RNAV 2 in the enroute phase in the NZFIR. AC91-21 Table 2
52.68.18	State the navigation infrastructure required to support RNAV/RNP 2 in the enroute phase in the NZFIR. AC91-21 Table 2
52.68.20	State the CNS equipment requirements for operations in RNAV 2 enroute continental/domestic airspace in the NZFIR. AC91-21 Table 5
52.68.22	State the Total System Error (TSE) permitted in the RNAV/RNP 2 PBN specification in the enroute phase in the NZFIR. AC91-21 Table 2
52.68.24	State the surveillance and communications requirements expected to apply in RNAV/RNP 1 in the terminal and approach phases in the NZFIR. AC91-21 Table 3
52.68.26	State the navigation infrastructure required to support RNAV/RNP 1 in the terminal and approach phases in the NZFIR. AC91-21 Table 3
52.68.28	State the CNS equipment requirements for operations in RNAV/RNP 1 in the terminal and approach phases in the NZFIR. AC91-21 Tables 3 and 5

Sub Topic	Syllabus Item
52.68.30	State the Total System Error (TSE) permitted in the RNAV/RNP 1 PBN specification in the terminal and approach phases in the NZFIR. AC91-21 Table 3
52.68.32	State the limitation, during approach operations, on aircraft with advisory vertical navigation systems only. AC91-21
52.68.34	Describe the authorisation requirements applicable to RNP AR APCH procedures. AC91-21
52.68.36	State the surveillance and communications requirements expected to apply in RNP APCH in the approach phase in the NZFIR. AC91-21 Tables 4 and 5
52.68.38	State the navigation infrastructure required to support RNP APCH in the approach and missed approach phases in the NZFIR. AC91-21 Tables 4 and 5
52.68.40	State the CNS equipment requirements for operations in RNP APCH in the approach and missed approach phases in the NZFIR. AC91-21 Tables 4 and 5
52.68.42	State the Total System Error (TSE) permitted in the RNP APCH PBN specification in the approach and missed approach phases in the NZFIR. AC91-21 Table 4

Airspace; Aerodromes; and Heliports

52.70	Altimetry
52.70.2	Explain the altimeter setting requirements for flight under IFR. CAR Part 91 & AIP ENR
52.70.4	State the procedure to use to obtain an altimeter setting when QNH is not available prior to take-off and the requirement to obtain a QNH once in flight. AIP ENR
52.70.6	Describe QNH zones and state when zone QNH should be used. AIP ENR
52.70.8	Describe the transition altitude, layer and level. AIP ENR
52.72	Cruising Levels
52.72.2	State the altitude/flight level requirements when cruising IFR within the New Zealand FIR. CAR Part 91 & AIP ENR
52.72.4	Determine from charts and publications the minimum flight altitude (MFA) for a route sector.
52.72.6	Describe situations where ATC may assign cruising altitudes not in accordance with the IFR table of cruising altitudes. AIP ENR
52.72.8	State the position by which an aircraft must be at a higher MFA if changing to a track with a higher MFA. AIP GEN
52.74	Transponders
52.74.2	State the requirements for the operation of transponders within the New Zealand FIR. CAR Part 91 & AIP ENR
52.74.4	Describe the procedures required of pilots operating transponders. AIP ENR
52.74.6	Describe the procedure whereby ATC can verify the accuracy of the Mode C function of a transponder. AIP ENR

Sub Topic	Syllabus Item
52.74.8	State the requirements and limitations on an aircraft operating in transponder mandatory airspace without an operating transponder. CAR Part 91 & AIP ENR
52.75	Airspace
52.75.2	State the rules pertaining to operating IFR in the various classes of airspace. CAR Part 91 & AIP ENR
52.75.4	Describe the vertical limits and purpose of control zones (CTR). CAR Part 71
52.75.6	Describe the vertical limits and purpose of control areas (CTA). CAR Part 71
52.75.8	State the status and conditions relating to flight in VFR transit lanes. AIP ENR
52.75.10	Describe the status and purpose of a general aviation area (GAA) and state the process for IFR flights to transit through GAA airspace. CAR Part 91 & AIP ENR
52.75.12	Describe visual reporting points.
52.75.14	Describe the status of controlled airspace when ATC go off duty. AIP GEN
52.75.16	State the restrictions on operating an aircraft in a restricted area. CAR Part 91 & AIP ENR
52.75.18	State the restrictions on operating an aircraft in a military operational area (MOA). CAR Part 91 & AIP ENR
52.75.20	State the restrictions and operating considerations relating to operating an aircraft in a mandatory broadcast zone (MBZ). CAR Part 91 & AIP ENR
52.75.22	State the restrictions and operating considerations relating to operating an aircraft in a volcanic hazard area (VHA). CAR Part 91 & AIP ENR
52.75.24	State the restrictions and operating considerations relating to operating an aircraft in a danger area. CAR Part 91 & AIP ENR
52.75.26	State the restrictions and operating considerations relating to operating an aircraft in a parachute landing area (PLA). AIP ENR
52.75.28	State the operating considerations relating to operating an aircraft in a common frequency zone (CFZ). AIP ENR
52.75.30	State the operating considerations relating to operating an aircraft over or close to temporary hazards/airspace. AIP ENR
52.75.32	Explain the requirements for the operation of an aircraft in RNP airspace. AIP ENR
52.75.34	Interpret airspace information on aeronautical charts.
52.76	Aerodromes and Heliports
52.76.2	Describe the limitations on the use of a place as an aerodrome or heliport. CAR Part 91
52.76.4	Describe the method of runway designation. AIP AD
52.76.6	Describe the movement area of an aerodrome. CAR Part 1

Sub Topic	Syllabus Item
52.76.8	Interpret information on aerodrome/heliport charts. AIP GEN & AIP Volume 4
52.78	Aerodrome Lighting
52.78.2	Describe the lighting intensity classifications.
52.78.4	Describe the following lighting systems: <ul style="list-style-type: none"> (a) Runway edge lighting (REDL); (b) Runway landing threshold lighting (RTHL); (c) Runway end lighting (RENL); (d) Runway centreline lighting system (RCLL); (e) Runway end identifier lighting (REIL); (f) Approach lighting systems (ALS); (g) Circling guidance lighting (CGL); (h) Runway lead in lighting (RLLS); (i) Pilot activated lighting (PAL); (j) T-Visual approach slope indicators (T-VASIS); (k) Visual approach slope indicators (VASIS); and (l) Precision approach path indicators (PAPI).
52.78.6	Describe aerodrome beacons.
	Emergencies; Incidents; and Accidents
52.82	Communications and Equipment
52.82.2	State the transponder code a pilot should set to indicate an emergency condition. AIP ENR
52.82.4	State the transponder code a pilot should set to indicate a loss of communications. AIP ENR
52.82.6	State the transponder code a pilot should set to indicate that the aircraft is being subjected to unlawful interference. AIP ENR
52.82.8	Describe the means by which ATC will verify the transmission of an emergency SSR transponder code. AIP ENR
52.82.10	Describe the use of the speechless technique using un-modulated transmissions. AIP ENR
52.82.12	State the procedures for the emergency activation of an ELT. AIP GEN
52.82.14	State the pilot action required following the inadvertent transmission of an ELT. AIP GEN
52.82.16	State the requirements for the operational testing of an ELT. AIP GEN
52.82.18	State the procedures to be followed on receiving an ELT signal. AIP GEN

Sub Topic	Syllabus Item
	Instrument Departures and Approaches
52.90	Departure Procedures
52.90.2	Interpret information on SID and Departure Procedure charts.
52.90.4	Determine the IFR take-off minima for a departure off a given runway. AIP ENR
52.90.6	State the IFR take-off minima if it is not prescribed in the AIPNZ VOL 2 & 3. AIP ENR
52.90.8	State the CAR Part 91 requirements and limitations of IFR reduced take-off minima. CAR Part 91 & AIP ENR
52.90.10	State the minimum height for a turn after take-off on departure. AIP ENR
52.90.12	State the minimum climb gradient on a SID unless otherwise specified. AIP ENR
52.90.14	Calculate the rate of climb required to meet the net climb gradient specified on instrument departures. AIP ENR
52.90.16	State when a departure procedure terminates. AIP ENR
52.90.18	State the limitation on the termination of radar vectoring for a departing IFR aircraft. AIP ENR
52.90.20	State the requirements for broadcasting intentions when departing from an unattended aerodrome. AIP ENR
52.90.22	State the requirements for and limitations on a visual departure. AIP ENR
52.90.24	Describe the operating restrictions where an IFR departure procedure is not promulgated. AIP ENR
52.92	Holding Procedures
52.92.2	State the maximum speed in enroute holding patterns. AIP ENR
52.92.4	State the maximum entry and holding pattern speeds. AIP ENR
52.92.6	Identify and describe appropriate holding pattern entry procedures. AIP ENR
52.92.8	State when an onwards clearance time will be passed to the pilots of an aircraft instructed to hold enroute. AIP ENR
52.92.10	State when an expected approach time will be passed to the pilots of an aircraft instructed to hold at an initial approach fix. AIP ENR
52.92.12	State the angle of bank required during turns in a holding pattern. AIP ENR
52.94	Approach Procedures
52.94.2	Describe the descent limitations from cruise to approach commencement. AIP GEN
52.94.4	Interpret information on STAR charts.
52.94.6	State the limitation on a clearance to fly a STAR. AIP ENR
52.94.8	Define the minimum initial approach altitude. AIP ENR
52.94.10	Interpret information on instrument approach charts.

Sub Topic	Syllabus Item
52.94.12	Determine the IFR meteorological minima for an instrument approach to a given runway.
52.94.14	State the meteorological minima which must exist prior to a landing off an instrument approach. CAR Part 91 & AIP ENR
52.94.16	Describe the procedures for joining overhead a navigation aid for an instrument approach. AIP ENR
52.94.18	State the minimum meteorological conditions which must exist before ATC may clear an aircraft for an instrument approach with a descent restriction. AIP ENR
52.94.20	State the meteorological and other conditions which will allow a pilot to request a visual approach in controlled airspace. AIP ENR
52.94.22	State the meteorological and other conditions which allow ATC to advise that conditions are suitable for a visual approach. AIP ENR
52.94.24	State the meteorological and other conditions which will allow a pilot to carry out a visual approach in uncontrolled airspace. AIP ENR
52.94.26	Describe the provision of separation and terrain clearance during a visual approach. AIP ENR
52.94.28	Given an aircraft's Vs, determine its category for approach speeds and minima. AIP ENR
52.94.30	State the category A and B speed limitations during an instrument approach under ICAO PANS OPS II procedures. AIP ENR
52.94.32	State the requirements for making position reports during an instrument approach in controlled and uncontrolled airspace. AIP ENR
52.94.34	Describe the procedures for carrying out an instrument approach at an unattended aerodrome. AIP ENR
52.94.36	Determine the minimum descent altitude using a QNH from a remote location. AIP ENR
52.94.38	State when descent below decision altitude or minimum descent altitude may be made on an instrument approach. AIP ENR
52.94.40	Describe the missed approach procedures and limitations. AIP ENR
52.96	Communications and Navigation Aid Failure
52.96.2	Describe the procedures required following a communications failure enroute. AIP ENR
52.96.4	Describe the procedures required following a communications failure during an instrument approach. AIP ENR
52.96.6	Describe the procedure to be carried out in the event of a radio navigation aid failure during an approach. AIP ENR